



## Erratum

## Bacterial interspecies quorum sensing in the mammalian gut microbiota [C. R. Biologies 341 (2018) <https://doi.org/10.1016/j.crvi.2018.03.006>]

Karina Bivar Xavier

Instituto Gulbenkian de Ciência, Oeiras, Portugal

Available online 21 May 2018

In the paper entitled “Bacterial interspecies quorum sensing in the mammalian gut microbiota”, published in *Comptes rendus Biologies*, **the primary literature was not properly cited** in following sentence:

“Since its discovery, many studies have shown that AI-2 regulates a variety of behaviours which are typically regulated by quorum sensing such as bioluminescence in *Vibrio harveyi*, biofilm formation and virulence in *Vibrio cholerae*, formation of oral biofilms in *Streptococcus gordonii*, phage dispersal in *Enterococcus faecalis*, and motility and cell aggregation in *Escherichia coli* [7–9].”

The sentence with the proper citations should read as follows:

“Since its discovery, many studies have shown that AI-2 regulates a variety of behaviours which are typically regulated by quorum sensing such as bioluminescence in *Vibrio harveyi* [1,2], biofilm formation and virulence in *Vibrio cholerae* [3–5], formation of oral biofilms in *Streptococcus gordonii* [6–8], phage dispersal in *Enterococcus faecalis* [9], and **motility and cell aggregation in *Escherichia coli* [10–14]**, reviewed in [15].”

### References

- [1] B.L. Bassler, M. Wright, R.E. Showalter, M.R. Silverman, Intercellular signalling in *Vibrio harveyi*: sequence and function of genes regulating expression of luminescence, *Mol. Microbiol.* 9 (1993) 773–786.
- [2] B.L. Bassler, M. Wright, M.R. Silverman, Multiple signalling systems controlling expression of luminescence in *Vibrio harveyi*: sequence and function of genes encoding a second sensory pathway, *Mol. Microbiol.* 13 (1994) 273–286.
- [3] M.B. Miller, K. Skorupski, D.H. Lenz, R.K. Taylor, B.L. Bassler, Parallel quorum sensing systems converge to regulate virulence in *Vibrio cholerae*, *Cell* 110 (2002) 303–314.
- [4] J. Zhu, M.B. Miller, R.E. Vance, M. Dziejman, B.L. Bassler, J.J. Mekalanos, Quorum-sensing regulators control virulence gene expression in *Vibrio cholerae*, *Proc. Natl. Acad. Sci. USA* 99 (2002) 3129–3134.
- [5] B.K. Hammer, B.L. Bassler, Quorum sensing controls biofilm formation in *Vibrio cholerae*, *Mol. Microbiol.* 50 (2003) 101–104.
- [6] R. McNab, S.K. Ford, A. El-Sabaeny, B. Barbieri, G.S. Cook, R.J. Lamont, LuxS-based signaling in *Streptococcus gordonii*: autoinducer-2 controls carbohydrate metabolism and biofilm formation with *Porphyromonas gingivalis*, *J. Bacteriol.* 185 (2003) 274–284.
- [7] G.C. Saenz, D. Rao, A. Underwood, S.A. Belapure, S.R. Campagna, Z. Sun, S. Tammariello, A.H. Rickard, Autoinducer-2 influences interactions amongst pioneer colonizing streptococci in oral biofilms, *Microbiology* 158 (2012) 1783–1795. , <http://dx.doi.org/10.1099/mic.0.057182-0>.
- [8] X. Wang, X. Li, J. Ling, *Streptococcus gordonii* LuxS/autoinducer-2 quorum-sensing system modulates the dual-species biofilm formation with *Streptococcus mutans*, *J. Basic Microbiol.* 57 (2017) 605–616.
- [9] F.S. Rossmann, T. Racek, D. Wobser, J. Puchalka, E.M. Rabener, M. Reiger, A.P. Hendrickx, A.K. Diederich, K. Jung, C. Klein, J. Huebner, Phage-mediated dispersal of biofilm and distribution of bacterial virulence genes is induced by quorum sensing, *PLoS Pathog.* 11 (2) (2015) e1004653.
- [10] A.F. Gonzalez Barrios, R. Zuo, Y. Hashimoto, L. Yang, W.E. Bentley, T.K. Wood, Autoinducer 2 controls biofilm formation in *Escherichia coli* through a novel motility quorum-sensing regulator (MqsR, B3022), *J. Bacteriol.* 188 (2006) 305–316.
- [11] T. Bansal, P. Jesudhasan, S. Pillai, T.K. Wood, A. Jayaraman, Temporal regulation of enterohemorrhagic *Escherichia coli* virulence mediated by autoinducer-2, *Appl. Microbiol. Biotechnol.* 78 (2008) 811–819.
- [12] M. Hegde, D.L. Englert, S. Schrock, W.B. Cohn, C. Vogt, T.K. Wood, M.D. Manson, A. Jayaraman, Chemotaxis to the quorum-sensing signal AI-2 requires the Tsr chemoreceptor and the periplasmic LsrB AI-2-binding protein, *J. Bacteriol.* 193 (2011) 768–773.
- [13] L. Laganenka, R. Colin, V. Sourjik, Chemotaxis towards autoinducer 2 mediates autoaggregation in *Escherichia coli*, *Nat. Commun.* 7 (2016) 12984.
- [14] S. Jani, A.L. Seely, V.G.L. Peabody, A. Jayaraman, M.D. Manson, Chemotaxis to self-generated AI-2 promotes biofilm formation in *Escherichia coli*, *Microbiology* 163 (2017) 1778–1790. , <http://dx.doi.org/10.1099/mic.0.000567>.
- [15] C.S. Pereira, J.A. Thompson, K.B. Xavier, AI-2-mediated signalling in bacteria, *FEMS Microbiol. Rev.* 37 (2013) 156–181.

DOI of original article: <https://doi.org/10.1016/j.crvi.2018.03.006>

Email address: [kxavier@igc.gulbenkian.pt](mailto:kxavier@igc.gulbenkian.pt).

<https://doi.org/10.1016/j.crvi.2018.04.004>

1631-0691/© 2018 Published by Elsevier Masson SAS on behalf of Académie des sciences.